




The Real Tree camouflage sheltered Eco-One 275 ready for another heating season.



New Years Sales Event!

For the Holiday season Aqua-Therm is offering a discount up to \$1500 in saving for you the dealers.

In the spirit of holiday savings Aqua-Therm has decided to offer incredible deals on new boilers now through the end of February! Call Aqua-Therm for discounts while supplies last.

Online Ordering is here!

Now you can order online with Aqua-Therm at any time of the day or night. 24 hours a day and 365 days a year it is fast and easy!

SAVE TIME | ORDER ONLINE

With the internet and online ordering taking over the parts industry, Aqua-Therm has now made our parts available to customers online. This will make it a breeze to shop for a door gasket or new blower fan.

All major credit cards and PayPal will be accepted.

New parts will be added every month so keep checking regularly for updated items.

Tip of the Month

Check to make sure your door and gasket are sealing properly. Old door gaskets may cause over-tempering of stove!

It is recommended replacement every 2 years!

P.O. Box 250
Spicer, MN 56288
www.aqua-therm.com

E: info@aqua-therm.com
P: 320-354-3270
T: 800-325-2760
F: 320-354-3275



Aqua-Therm has teamed up with Radiant Green Flooring!

We are happy to announce that we have developed a relationship with Radiant Green Flooring to offer radiant floor panels for new construction, remodels, or joist installation.

Radiant Green has been providing the heating industry with high quality radiant heat service for 15 years. They have designed a radiant heat panel that is more efficient, more cost-effective and easier to install than competing products on the market. They have spent nearly a decade perfecting our panel.

Every aspect of the design, down to the groove pattern, allows for easy installation. The panel itself can be easily cut to fit odd areas and corners that have typically been left out by other radiant panels. This eliminates "cold spots" in the radiant heat flooring. Radiant Green's groove pattern allows for the tubing to be routed in any needed direction for easy installation for professionals or the do-it-yourselfer.




Benefits of Radiant Green Flooring:

- Up to 40% more efficient than conventional heating
- Reflective Coating
- Huge labor-savings
- Fast, easy installation for Homeowners & Professionals
- Even heat distribution
- Low profile
- Heat transfer material layered on top to draw heat evenly to the floor's surface
- Greater energy conservation
- Multiple uses: new construction, remodels, or joist panels

Online Knowledge Base

[Online help is here-](http://aqua-therm.com/kbase.html) knowledge base where users can search for issues by product and get online help 24/7. It is forum based and you can see it at <http://aqua-therm.com/kbase.html>



It is important to get an air tight fit when the gasket is new. Once it is hardened from creosote deposits, successful adjustments are unlikely.



24/7 Boiler Forum



Technical Help

DOOR GASKET REPLACEMENT

The door gasket appears longer than necessary to fit in the gasket channel on the door. Insert the gasket in such a way that the "excess" material is packed uniformly around the entire circumference.

Place the ends of the gasket in the channel at position 1. Find the middle of the gasket and insert in the channel at 2. Locate the middle of the gasket top and bottom and insert in the channel at 3 and 4. Now compress the remaining gasket material evenly between each point and press into the channel.

Loosen the nuts on the two door hinge bolts. Slide the door assembly in the slotted angle. When the door is closed and locked the gasket should make uniform contact with the flange around the door opening. Close the door firmly a few times. The flange should leave an even indentation near the center of the gasket.

Check the fit by closing the door on a 1" strip of paper. It should be held firmly. Work material around opening to ensure a tight fit.

P.O. Box 250
Spicer, MN 56288
www.aqua-therm.com

E: info@aqua-therm.com
P: 320-354-3270
T: 800-325-2760
F: 320-354-3275